(08-90)

AU6 0 3 2004

at

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Application Number	09/954,495		
Filing Date	09/10/2001		
First Named Inventor	Bruce WOODLEY		
Group Art Unit	2828		
Examiner Name	Leung		
Attorney Docket Number	215248.00004		

Total Number of	f Pages in This Subm	ission 5 plus 68 refs	Attorney Docket N	Number	215248.00004
ENCLOSURES (check all that apply)					
Fee Transmittal Form Fee Attached Amendment / Reply After Final Affidavits/dec Extension of Time Re Express Abandonme Information Disclosu Certified Copy of Price	claration(s) equest ent Request ure Statement	Assignm (for an A Drawing Licensin Petition Provision Power of Change Address Termina Request CD, Nur	ent Papers pplication)		After Allowance Communication to Group Appeal Communication to Board of Appeals and Interferences Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please identify below):
Document(s)  Response to Missing Parts/ Incomplete Application  Response to Missing Parts under 37 CFR 1.52 or 1.53		REMARKS COMMUNICATION with PTO-1449s (3 sheets) and copies of 68 cited references			
	SIGNATU	RE OF APPLIC	CANT, ATTORNE	Y, OR A	GENT
0/	Andrew J. Bat Registration N		1		
Signature		Andrew J. Botema			
Date		08/03/2004			
CERTIFICATE OF MAILING					
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date:					
Typed or printed name					
Signature				Date	



Application No. <u>09/954,495</u> Attorney's Docket No. <u>215248.00004</u> Page 1

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Reissue Application of:	)
Bruce R. WOODLEY, et al.	) Group Art Unit: 2828 )
Application No.: 09/954,495	) Examiner: Quyen Phan Leung )
Filed: September 10, 2001	) Date: August 3, 2004
For: WAVELENGTH AGILE LASER	

## COMMUNICATION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

As requested by the Examiner in the *In re Quayle* Action mailed June 3, 2004, Applicants provide herewith courtesy Form PTO-1449s and copies of all non-US patent documents cited by Applicants in Information Disclosure Statements respectively filed on September 10, 2001 and March 25, 2002.

The Examiner acknowledges receipt by the USPTO of the original document copies filed concurrently with the Information Disclosure Statements, but indicates that the reference copies cannot be located at the USPTO.

It is respectfully requested that the information listed on the PTO-1449s be considered by the Examiner, and that initialed copies of the PTO-1449s be returned to Applicants indicating that such information was considered.

Should the Examiner have any questions regarding this communication or the application in general, the Examiner is urged to contact the Applicants' attorney, Andrew J. Bateman, by telephone at (202) 625-3547. The correspondence address of record remains as provided below.

By:

Respectfully submitted,

KATTEN MUCHIN ZAVIS ROSENMAN

Patent Administrator KATTEN MUCHIN ZAVIS ROSENMAN 525 West Monroe Street Suite 1600 Chicago, Illinois 60661-3693

Facsimile: (312) 902-1061

Andrew J. Bateman Registration No. 45,573

/	OTPE.	
	AUG 0 3 700	4 2
12		
<b>\</b>	Are TANK	O 1449 MC

10 1449 M	PTO 1449 MODIFIED			APPLICATION NO.		
U.S. PATENT AND TRADEMARK OFFICE			215248.00004	09/954,495		
LIST OF REFERENCES CITED BY APPLICANT				PLICANT		
				OODLEY, et al.		
DATE SUBMITTED TO USPTO: August 3, 2004			FILING DATE 09/10/2001	GROUP		
OFILED DOG	<u> </u>			2828		
*EXAMINER	UNIF	ITS (Including author, title, date, pertinent page	s, etc.)			
INITIALS						
	1	Alferness, R.C., "Efficient waveguide electro-optic TE ≒ TM mode converter/wavelength filter", APPLIED PHYSICS LETTERS, Vol. 36, No. 7, April 1980, pp. 513-515				
	2	Kim, et al., "Switching Operations of Three-Waveguide Optical Switches", IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS, Vol. 6, No. 1, pp. 170-174, Jan/Feb 2000				
	3	Haus, et al., "Three-Waveguide Couplers for Improved Sampling and Filtering", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-17, No. 12, pp. 2321-2325, Dec. 1981				
	4	Marom, et al., "Relation Between Normal-Mode and Coupled-Mode Analyses of Parallel Waveguides", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-20, No. 12, pp. 1311-1318				
	5	Alferness, et al., "Tunable optical waveguide directional coupler filter", APPLIED PHYSICS LETTERS, Vol. 33, No. 2, pp. 161-163, July 1978				
	6	Kogelnik, et al., "Switched Directional Couplers with Alternating Δβ", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-12, No. 7, pp. 396-401, July 1976				
	7	Wacogne, et al., "Single lithium niobate crystal for mode selection and phase modulation in a tunable extended – cavity diode laser" OPTICS LETTERS, Vol. 19, No. 17, pp. 1334-1336, September 1994				
	8	THE OPTICAL SOCIETY OF AMERICA B, Vol. 11, No	Mackinnon, et al., Laser-diode-pumped, electro-optically tunable Nd:MgO:LiNbO₃ Microchip Laser", JOURNAL OF THE OPTICAL SOCIETY OF AMERICA B, Vol. 11, No. 3, pp. 519-522, March 1994			
	9	Irace, et al., "Fast Silicon-on-Silicon Optoelectronic Router Based on a BMFET Device", IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS, Vol. 6, No. 1, pp. 14-17, Jan/Feb 2000				
	10	Kasunic, K., "Design Equations for the Reflectivity of DOF LIGHTWAVE TECHNOLOGY, Vol. 18, No. 3, pp. 4	25-429, March 2000			
	11	Alferness, et al., "Characteristics of Ti-diffused lithium niobate optical directional couplers", APPLIED OPTICS, Vol. 18, No. 23, pp. 4012-4016, December 1979				
	12	Nelson, et al., "Coupling optical waveguides by tapers", APPLIED OPTICS, Vol. 14, No. 12, pp. 3012-3015, December 1975				
	13	Kaminow, et al., "Loss in cleaved Ti-diffused LiNbO <sub>3</sub> waveguides", APPLIED PHYSICS LETTERS, Vol. 33, No. 1, pp. 62-64, July 1978				
	14	Payne et al., "Design of Lithium Niobate Based Photonic Switching Systems", IEEE COMMUNICATIONS MAGAZINE , Vol. 25. No. 5, pp. 37-41, May 1987				
	15	Burns, et al., "Optical waveguide parabolic coupling horns", APPLIED PHYSICS LETTERS, Vol. 30, No. 1, pp. 28-30, January 1977				
	16					
	17					
	18	Favre, et al., "External-Cavity Semiconductor Laser with 15nm Continuous Tuning Range", ELECTRONICS LETTERS, Vol. 22, No. 15, pp. 795-796, July 1986				
	19	Schmidt, et al., "Metal-diffused optical waveguide in LiNbO <sub>3</sub> ", APPLIED PHYSICS LETTERS, Vol. 25, No. 8, pp. 458-460, October 1974				
	20	Tien, et al., "Light beam scanning and deflection in epitaxial LiNbO₃ electro-optic waveguides", APPLIED PHYSICS LETTERS, Vol. 25, No. 10, pp. 563-565, November 1974				
	21	Lin, et al., "A Three-Dimensional Optical Photonic Crystal", JOURNAL OF LIGHTWAVE TECHNOLOGY, Vol. 17, No. 11, pp. 1944-1947, November 1999				
	22	Talneau, et al., "Agile and Fast Switching Monolithically Integrated Four Wavelength Selectable Source at 1.55 µm", IEEE PHOTONICS TECHNOLOGY LETTERS, Vol. 11, No. 1, pp. 12-14, January 1999				
	23	Locco, et al., "Bragg grating fast tunable filter", ELECTRONICS LETTERS, Vol. 33, No. 25, pp. 2147-2148, December 1997				
	24	Vengsarkar, et al., "Long-Period Fiber Gratings as Band-Rejection Filters" JOURNAL OF LIGHTWAVE TECHNOLOGY, Vol. 14, No. 1, pp. 58-65, January 1996				
	25	Alferness, et al., "Electro-optic waveguide TE→TM mode converter with low drive voltage", OPTICS LETTERS, Vol. 5, No. 11, pp. 473-475, November 1980				
EXAMINER		DATE CONSIDE				
I FYAMINED Indi-	al if refere	nce considered, whether or not citation is in conformance with MPEP 609: D	raw line through citation if not in confo	mance and not considered. Include conv.of		

• EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO 1449 M	ODIFIED		ATTORNEY DOCKET NO.	APPLICATION NO.	
U.S. PATENT AND TRADEMARK OFFICE			215248.00004	09/954,495	
LIST OF REFERENCES CITED BY APPLICANT		APPLICANT			
			OODLEY, et al.		
DATE SUBMITTED TO USPTO: August 3, 2004		FILING DATE	GROUP		
OTHER DOCUMENTS(S) (Including author, title, date, pertinent page			09/10/2001	2828	
	UIVIEN	vi 5(5) (including author, title, date, pertinent pag	ges, etc.)		
*EXAMINER INITIALS					
	26	Franke, et al., "All-Optical Switching in an Angled-Gratir TECHNOLOGY LETTERS, Vol. 11, No. 7, pp. 815-817,	ng Semiconductor Bragg Ar July 1999	nplifier", IEEE PHOTONICS	
	27	Wörhoff, et al., "Design, Tolerance Analysis, and Fabric Waveguides for Communication Devices", JOURNAL O 1407, August 1999	F LIGHTWAVE TĚCHNOL	OGY, Vol. 17, No. 8, pp. 1401-	
	28	Matos, et al., "Epitaxial Liftoff Microcavities for 1.55-µm PHOTONICS TECHNOLOGY LETTERS, Vol. 11, No. 1	, pp. 57-59, January 1999		
	29	Ma, et al., "Realization of All-Optical Wavelength Converter Based on Directionally Coupled Semiconductor Optical Amplifiers", IEEE PHOTONICS TECHNOLOGY LETTERS, Vol. 11, No. 2, pp. 188-190, February 1999			
	30	Mason, et al., "Widely Tunable Sampled Grating DBR Laser with Integrated Electroabsorption Modulator", IEEE PHOTONICS TECHNOLOGY LETTERS, Vol. 11, No. 6, pp. 638-640, June 1999			
	31	Eickhoff, W., "In-Line Fibre-Optic Polariser", ELECTRONICS LETTERS, Vol. 16, No. 20, pp. 762-763, September 1980			
	32	Bergh, et al., "Single-Mode Fiber-Optic Polarizer", OPTI 1980			
	33	Zervas, et al., "Performance of surface-plasma-wave fiber-optic polarizers", OPTICS LETTERS, Vol. 15, No. 9, p 513-515, May 1990			
-	34	Lee, et al., "Fabrication of a side-polished fiber polarizer Vol. 22, No. 9, pp. 606-608, May 1997			
_	35	Wu, et al., "UV-Induced Surface-Relief Gratings on LiNb ELECTRONICS, Vol. 35, No. 10, pp. 1369-1373, Octob		IEEE JOURNAL OF QUANTUM	
	36	Schmidt, et al., "Metal-diffused optical waveguides in Lil 458-460, October 1974			
	37	Jackel, et al., "Elimination of out-diffused surface guiding in titanium-diffused LiNbO₃", APPLIED PHYSICS LETTERS, Vol. 38, No. 7, pp. 509-511, April 1981			
	38	Alferness, et al., "Efficient Single-Mode Fiber to Titanium Diffused Lithium Niobate Waveguide Coupling for λ=1.33 μm", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-18, No. 10, pp. 1807-1813, October 1982			
	39	McCaughan, et al., "Influence of Temperature and Initial Titanium Dimensions on Fiber-Ti:LiNbO <sub>3</sub> Waveguide Insertion Loss at λ=1.3 μm", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-19, No. 2, pp. 131-136,			
	40	Minakata, et al., "Precise determination of refractive-inc APPLIED PHYSICS, Vol. 49, No. 9, pp. 4677-4682, Sep	otember 1978		
	41	Hahn, et al., "Electron-Concentration Dependence of Absorption and Refraction in n-In <sub>0.53</sub> Ga <sub>0.47</sub> As Near the Ban Edge", JOURNAL OF ELECTRONIC MATERIALS, Vol. 24, No. 10, pp. 1357-1361, 1996			
	42	Birks, et al., "Low Power Acousto-Optic Device Based on A Tapered Single-Mode Fiber", IEEE PHOTONICS TECHNOLOGY LETTERS, Vol. 6, No. 6, pp. 725-727, June 1994			
		Wu, et al., "FIR Filter Design via Spectral Factorization and Convex Optimization", 33 pages			
	44	Oppenheim, et al., "Filter Design Techniques", DISCRETE-TIME SIGNAL PROCESSING, Prentice Hall, Englewood Cliffs, New Jersey, pp. 444-480, 1989			
	45	Leuthold, et al., "Multimode Interference Couplers for th Modes", JOURNAL OF LIGHTWAVE TECHNOLOGY, \	/ol. 16, No. 7, pp. 1228-123	39, July 1998	
	46	"Oversampling Techniques using the TMS320C24x Fan EUROPE, 37 pages, June 1998			
	47	Okamoto, Katsunari, "Fundamentals of Optical Waveguides", OPTICS AND PHOTONICS, Academic Press, pp. 59-71, 2000			
	48	Alferness, R., "Electrooptic guided-wave device for general QUANTUM ELECTRONICS, Vol. QE-17, No. 6, pp. 965	-969, June 19 <u>81</u>		
	49	Alferness, R. et al, "Waveguide electro-optic polarization 9, pp. 655-657, May 1981	n transformer", APPLIED PI	HYSICS LETTERS, Vol. 38, No.	
EXAMINER		DATE CONSIDE	RED		
* EYAMINER: Initia	l if refere	nce considered, whether or not citation is in conformance with MPEP 609: Or	aw line through citation if not in confor	mance and not considered. Include convio	

FORM PTO 1449 MODIFIED			ATTORNEY DOCKET NO.	APPLICATION NO.	
U.S. PATENT AND TRADEMARK OFFICE		215248.00004	09/954,495		
DATE SUBMITTED TO USPTO: August 3, 2004		APPLICANT			
		Bruce R. W	OODLEY, et al.		
		FILING DATE	GROUP		
		09/10/ 2001	2828		
THER DOC	UMEN	ITS(S) (Including author, title, date, pertinent page	ges, etc.)		
*EXAMINER INITIALS					
	50	Burns, W., et al., "End fire coupling between optical fibe Vol. 16, No. 8, pp. 2048-2050, August 1997			
	51	Burns, W. et al., "Mode Conversion in Planar-Dielectric Separating Waveguides", IEEE JOURNAL OF QUANTUELECTRONICS, Vol. QE-11, No. 1, pp. 32-39, January 1975			
	52	Heismann, F., et al., "Narrow-linewidth, electro-optically tunable InGaAsP-Ti:LiNb0₃ extended cavity laser", APPLIED PHYHSICS LETTERS, Vol. 51, No. 1, pp. 164-166, July 1987			
	53	Heismann, F., et al., "Electro-Optically Tunable, Narrowband Ti : LiNb03 Wavelength Filter", ELECTRONICS LETTERS, Vol. 23, No. 11, pp. 572-574, May 1987			
	54	Heismann, F., et al., "Wavelength-Tunable Electrooptic Polarization Conversion in Birefringent Waveguides", IE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-24, No. 1, pp. 83-93, January 1988			
	55	Holzman, J., et al., "Ultrafast All-Optical Modulation of In Structures", IEEE JOURNAL OF QUANTUM ELECTRO	NICS, Vol. 35, No. 4, pp. 5	83-589, April 1999	
	56	Jayaraman, V., et al., "Theory, Design, and Performance of Extended Tuning Range Semiconductor Lasers with Sampled Gratings", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. 29, No. 6, pp. 1824-1834, June 1993 Korotky, S., et al., "Mode Size and Method for Estimating the Propagation Constant of Single-Mode Ti:LiNbO <sub>3</sub> S Waveguides", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-18, No. 10, pp. 1796-1801, October 19 Minford, W., et al., "Low-Loss Ti:LiNbO <sub>3</sub> Waveguide Bends at λ=1.3 μm", IEEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-18, No. 10, pp. 1802-1806, October 1982			
	57				
	58				
	<ul> <li>Noda, J., et al., "Single-mode optical-wavelength fiber coupler", APPLIED OPTICS, Vol. 17, No. 13, pp. 2 July 1978</li> <li>Liu, B., et al., "Fused InP-GaAs Vertical Coupler Filters", IEEE PHOTONICS TECHNOLOGY LETTERS, No. 1, pp. 93-95, January 1999</li> <li>Liu, P., "LiNb0<sub>3</sub> Waveguide Modulator with 1.2µm Thick Electrodes Fabricated by Lift-Off Technique", IEE JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-18, No. 10, pp. 1780-1782, October 1982</li> </ul>				
				ctober 1982	
	Marcatili, E., " Dielectric Rectangular Waveguide and Directional Coupler for Integrated Optics", THE BELL SYSTEM TECHNICAL JOURNAL, pp. 2071-2102, September 1969				
	63	Ranganath, T., et al., "Ti-Diffused LiNb0₃ Branched-Wav JOURNAL OF QUANTUM ELECTRONICS, Vol. QE-13	, No. 4, pp. 290-295, April	1977	
	64	Saitoh, T., et al., "Theoretical Analysis and Fabrication of JOURNAL OF LIGHTWAVE TECHNOLOGY, Vol. LT-3,	, No. 2, pp. 288-293, April 1	985	
	65	Sasaki, H., et al., "Electro-Optic Y-Junction Modulator/S 460, September 1976			
	66	Schmidt, R., et al., "Electro-optically switched coupler w waveguides", APPLIED PHYSICS LETTERS, Vol. 28, N	lo. 9, pp. 503-506, May 197	76	
	67	Soref, R., et al., "Electrooptical Effects in Silicon", IEEE No. 1, pp. 123-129, January 1987		·	
	68	Taylor, H., "Frequency-Selective Coupling in Parallel Die 8, No. 4, pp. 421-425, August 1973	electric Waveguides", OPT	ICS COMMUNICATIONS, Vo	

EXAMINER DATE CONSIDERED

<sup>\*</sup> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.